



Constant Temperature Metal Bath TRCM-601

www.chinascientific.com | info@chinascientific.com

Description

Constant Temperature Metal Bath TRCM-601 uses a simpler and more convenient temperature correction method. It can transport a wide range of modules. It has a programming number of 9 and operates at a temperature range of 5 to 40 °C. It has a patented module clamping, pressing method, and a temperature control range of 5 to 110 °C. It has an LCD screen with a touch keyboard for placing and operating parameters, and it is designed to be used in a metal bath. It can cool as well as heat.

Features:

The temperature adjustment range of 15 to 110 °C is excellent

The maximum temperature accuracy is 0.5 °C

It can transport a variety of modules

Assist in the editing and storage of programs

The temperature correction method is more straightforward and convenient

The patented technique of clamping and pressing modules

It Can be used for both cooling and heating

Specifications :

Dimensions L×W×H	186×267×145 mm
Display	LCD
Input Voltage	100 to 120V/220 to 240V, 50Hz/60Hz
Maximum Cooling Rate	5 °/min
Maximum Heating Rate	5.5 °/min
Power	180 W
Programming	9
Temperature Control Accuracy 20 To 45 °	± 0.5 °
Temperature Control Range	lowest is 25 °, highest is 110 °
Temperature Range	-5 ° / 110 °
Temperature Uniformity 20 To 45 °	± 0.5 °
Time Setting Range	1min to 99 h 59 min
Working Environment Humidity	0.8
Working Environment Temperature	5 to 40 °

www.chinascientific.com

W Parkway St Denton TX 76201, USA
Email: info@chinascientific.com | Website: www.chinascientific.com