



Automatic Autoclave TRA-604

www.chinascientific.com | info@chinascientific.com

Description

Automatic Autoclave TRA-604 is a microprocessor-controlled tabletop electronic device with fully automatic, pre-programmed sterilization cycles and an LCD screen that displays continuous cycle information. It has a 23 L capacity, a maximum temperature of 134 °C, and a pressure of 210 MPa. It has an electro-polished stainless steel chamber and door. A simple user interface is very easy to use.

Features:

Tabletop autoclaves that are full auto and have pre-programmed sterilization cycles

The chamber and entrance are made of stainless steel and have an electro-polish finish

Control system with high precision for perfect sterilization results

The built-in independent steam generator ensures that there is always steam accessible for faster cycles

The user interface is very friendly and can operate very easily

The LCD screen constantly provides data about the cycle

The open-type water tank is very simple to fill and clean

Microprocessor-controlled electronic autoclave that is fully automated

It is a thermal autoclave with a non-vacuum working method

Each operating status and program could be displayed as an icon on the LCD screen

Specifications :

| | |
|--------------------------------|---------------------|
| Capacity | 23 L |
| Dimension | 480×465×690 mm |
| Heating Power | 2200 W |
| Maximum Pressure | 210 MPa |
| Maximum Temperature | 134 °C |
| Maximum Timer | 0 to 55 min |
| Number Of Trays | 3 |
| Power Supply | 220V 50Hz /110V60Hz |
| Sterilization Room Size | Ø247×450 |
| Weight | 51 kg |

www.chinascientific.com

W Parkway St Denton TX 76201, USA

Email: info@chinascientific.com | Website: www.chinascientific.com